International application No. PCT/JP2004/016312

		•	PCT/JP2	004/016312		
A. CLASSIFIC	CATION OF SUBJECT MATTER					
Int.Cl ⁷ B23D53/04, B23D55/06						
	•					
According to Int	ernational Patent Classification (IPC) or to both national	classification and IP	С			
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols)						
Int C1	B23D53/04, B23D55/00-55/06, B	327B13/00. B	27B15/00. B2	28D1/08		
		,,	,	-,		
1						
				fields seembed		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Jitsuyo Shinan Koho 1922–1996 Jitsuyo Shinan Toroku Koho 1996–2005						
	Kokai Jitsuyo Shinan Koho 1971–2005 Toroku Jitsuyo Shinan Koho 1994–2005					
1		-				
Electronic data b	pase consulted during the international search (name of d	iata base and, where p	oracticable, search te	rins used)		
		· .				
e. DOCUMEN	NTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where app	propriate, of the relev	ant passages	Relevant to claim No.		
Х	JP 11-104915 A (Kabushiki Ka	isha Amada		1-3		
Y	Engineering Center),			5		
	20 April, 1999 (20.04.99),					
	Par. Nos. [0016] to [0020]; F	igs. I to 4				
	(Family: none)					
x	Microfilm of the specificatio	n and drawin	ngs	1,2		
	annexed to the request of Jap	anese Utilit	y			
	Model Application No. 139524/	1985(Laid-og	en			
	No. 50015/1987) (Toshiba Corp.),					
	(roshiba Corp.), 27 February, 1987 (27.02.87),		•			
	Page 3; Fig. 1	•				
	(Family: none)					
	·					
		•				
	1					
Year Further documents are listed in the continuation of Box C. See patent family annex.						
				mational files determine		
"A" document d	gories of cited documents: efining the general state of the art which is not considered	date and not in	onflict with the applica	rnational filing date or priority ation but cited to understand		
to be of part	icular relevance	• •	theory underlying the in			
"E" earlier appli filing date	cation or patent but published on or after the international	considered nov	el or cannot be consid	laimed invention cannot be ered to involve an inventive		
"L" document v	which may throw doubts on priority claim(s) or which is ablish the publication date of another citation or other	•	ocument is taken alone	laimed invention		
	on (as specified)	considered to i	nvolve an inventive s	laimed invention cannot be step when the document is		
1 -	eferring to an oral disclosure, use, exhibition or other means		one or more other such o a person skilled in the	documents, such combination		
"P" document priority date	ublished prior to the international filing date but later than the claimed	-	per of the same patent f			
	al completion of the international search		he international sear			
02 Feb:	ruary, 2005 (02.02.05)	15 Febru	ary, 2005	(15.02.05)		
		<u> </u>				
	ng address of the ISA/	Authorized officer				
Japanese Patent Office						
Facsimile No.		Telephone No.				

Form PCT/ISA/210 (second sheet) (January 2004)

International application No.
PCT/JP2004/016312

		PCT/JP20	004/016312
C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
Y	JP 63-39718 A (Amada Co., Ltd.), 20 February, 1988 (20.02.88), Page 7, lower right column to page 8, upp left column; Fig. 1 (Family: none)	5	
x	EP 967041 A1 (KEURO Besitz GmbH. & Co. EDV-Dienstleistungs KG.), 29 December, 1999 (29.12.99), Par. Nos. [0040] to [0045]; Figs. 9 to 10 & JP 2000-24834 A Par. Nos. [0016] to [0017], [0022]; Figs. 8 to 9 & DE 19828589 A & US 2002-73818		18-21
P,X	JP 2004-42210 A (Amada Co., Ltd.), 12 February, 2004 (12.02.04), Full text; all drawings (Family: none)		18-21
A	JP 45-31116 Y2 (Isamu AMADA), 28 November, 1970 (28.11.70), Full text; all drawings (Family: none)		1-7
A	<pre>JP 57-127621 A (Amada Co., Ltd.), 07 August, 1982 (07.08.82), Full text; all drawings (Family: none)</pre>		8-17
Α	<pre>JP 46-1489 Y2 (Isamu AMADA), 19 January, 1971 (19.01.71), Full text; all drawings (Family: none)</pre>		18-21
A	JP 2001-179535 A (Kabushiki Kaisha Amada Engineering Center), 03 July, 2001 (03.07.01), Full text; all drawings (Family: none)		18-21
·			

Form PCT/ISA/210 (continuation of second sheet) (January 2004)

International application No. PCT/JP2004/016312

Box No. II	Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)
1. Claims N	search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons: Nos.: they relate to subject matter not required to be searched by this Authority, namely:
	Nos.: they relate to parts of the international application that do not comply with the prescribed requirements to such an lat no meaningful international search can be carried out, specifically:
3. Claims in because	Nos.: they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box No. III	Observations where unity of invention is lacking (Continuation of item 3 of first sheet)
This International	Searching Authority found multiple inventions in this international application, as follows:
the front the band s wrapped ar of guide p in the lon and lower sides of t	-4 are formed such that a projected amount from the guide posts to of the wheels, the occurrence of vibration when a work is cut by aw blade is suppressed, the tension of the endless band saw blade cound the drive wheel and the driven wheel is received by the pair osts to miniaturize the device by reducing the dimensions thereof egitudinal direction, and the saw blade travel parts on the upper sides of the band saw blade are positioned on the front and rear the guide posts. Claims 5-7 are formed such that it to extra sheet)
1. X As all re claims.	quired additional search fees were timely paid by the applicant, this international search report covers all searchable
l .	archable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of tional fee.
	some of the required additional search fees were timely paid by the applicant, this international search report covers se claims for which fees were paid, specifically claims Nos.:
	ired additional search fees were timely paid by the applicant. Consequently, this international search report is d to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Prot	The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

International application No. PCT/JP2004/016312

Continuation of Box No.III of continuation of first sheet (2)

when a worker installs those portions other than the upper travel portion on the drive wheel and the driven wheel when installing the band saw blade on the drive wheel and the driven wheel, the band saw blade is inserted thereinto through a slit in a band saw guide means to easily install the band saw blade without allowing the teeth part of the band saw blade to interfere with a band saw machine device body. Claims 8-17 are formed such that a saw blade drive unit is brought into a floated state from the saw blade housing in the saw blade rotating direction to avoid damage to the band saw blade and reduce vibration and noise by reducing an impact force by a saw blade cutting resistance generated when cutting is performed and a reaction force generated in the opposite direction of the rotating direction of the saw blade about the axis of the drive wheel is absorbed by the elasticity of the cushioning part. Claims 18-21 are formed such that, to form the device in a structure not having the movement structure of a body vice and an exclusive structure such as the relief structure of the band saw blade by preventing the work from being brought into contact with the band saw blade, the work is moved rearward by a material feed vice and, for example, a rear insert is moved rearward relative to a front insert when the band saw blade is returned to the original position after the work is cut with the band saw blade to open the rear insert, to tilt the band saw blade by the torsional return force of the band saw blade, to relieve the edge of the band saw blade from both cutting faces, and to return the band saw blade to the original position.